

2009 AUTUMN NEW ZEALAND HEREFORD GROUP BREEDPLAN

Dam Trait Leaders for 200 DAY GROWTH

ANIMAL NAME Ident	Statistics			GROUP ESTIMATED BREEDING VALUES																				Indexes		
	Herds Prog	Scan Carc	Dtrs	Calving Ease		Birth		Growth					Fertility		Carcase					HP	EM	DM				
				DIR acc	DTRS acc	GL acc	Bwt acc	200 acc	400 acc	600 acc	MCWV acc	MILK acc	MV acc	SS acc	DC acc	CWt acc	EMA acc	RIB acc	RUMP acc				RB% acc	IMF% acc		
KOANUI PEARL 2254 216 022254P	1 4	1 0	2	-6.0 54%	--	-1.6 65%	+7.8 81%	+51 76%	+78 74%	+119 75%	+129 65%	+16 71%	+41 72%	+1.5 53%	-5.4 41%	+69 64%	+1.5 45%	-0.4 51%	-0.7 51%	+0.8 48%	+0.3 39%	+74	+61	+18		
ARDO AMETHYST 4153 277 044153P	1 3	2 0	0	-6.0 51%	--	+0.5 55%	+10.3 79%	+47 73%	+82 72%	+118 73%	+130 63%	+15 66%	+39 68%	+2.3 60%	--	+69 63%	+4.1 51%	-0.4 65%	-0.7 65%	+1.6 61%	-0.3 55%	+73	+66	+25		
LAKE SPOT X48 990 02 48H	1 4	3 0	1	+3.0 44%	--	-1.6 54%	+5.8 77%	+47 74%	+67 72%	+99 72%	+100 72%	+19 66%	+42 68%	+1.9 52%	-3.3 37%	+64 62%	+3.5 50%	0.0 63%	-0.1 63%	+1.4 58%	--	+84	+73	+60		
LAKE SPOT V25 990 00 25P	1 6	3 0	0	-5.0 53%	--	+0.7 60%	+9.7 75%	+46 77%	+74 75%	+103 76%	+105 73%	+7 72%	+30 73%	+0.8 68%	+3.5 45%	+63 68%	+2.9 55%	-1.8 66%	-2.6 66%	+2.3 62%	--	+53	+54	+11		
AWHEA CURLY 0135 989 01 35P	1 5	2 0	1	-10.1 56%	--	+2.0 63%	+10.3 81%	+45 76%	+58 74%	+88 76%	+78 75%	+22 72%	+44 68%	+2.0 63%	-1.1 43%	+46 66%	+2.1 52%	+0.2 66%	+0.1 65%	+0.3 62%	+0.7 56%	+44	+34	-17		
NITHDALE BREEZE 0322 400 03 22P	1 4	2 0	1	-5.0 50%	--	-0.7 60%	+8.3 80%	+45 73%	+71 72%	+91 74%	+75 74%	+21 61%	+44 65%	+1.5 55%	--	+57 63%	+3.1 52%	+0.3 67%	+0.3 67%	+1.0 63%	+0.1 59%	+62	+52	+21		
TE TAUMATA BELLE 178 308 U 322P	1 6	0 0	0	-2.0 52%	--	-3.0 75%	+5.6 76%	+45 76%	+58 74%	+86 76%	+83 71%	+13 71%	+35 72%	+1.6 55%	-3.4 41%	+51 64%	+2.4 49%	-0.6 53%	-0.9 53%	+1.6 52%	--	+61	+55	+27		
WAIJU DOT T857 113 T 857J	1 5	5 0	1	--	--	-1.6 67%	+7.5 67%	+45 77%	+63 73%	+95 76%	+98 62%	+13 73%	+36 74%	--	--	+57 65%	+3.5 53%	-1.0 61%	-1.5 61%	+2.3 59%	-0.5 57%	+72	+69	+49		
WAITAPORIRI CURLY 214 1135 02 214P	2 5	1 0	1	-5.0 41%	--	--	+8.6 67%	+45 70%	+70 68%	+105 64%	+123 54%	+19 67%	+41 67%	--	--	+61 56%	+2.7 37%	-1.0 46%	-1.4 46%	+1.6 43%	-0.3 37%	+61	+56	+11		
AWHEA PRINCESS 04 203 989 04 203P	1 3	1 0	1	-2.7 54%	--	-0.9 71%	+7.1 79%	+44 75%	+72 73%	+101 74%	+102 73%	+23 68%	+45 70%	+2.4 62%	-4.2 43%	+65 65%	+4.7 54%	+0.1 66%	-0.1 66%	+1.6 62%	+0.5 57%	+77	+65	+33		
NITHDALE QUEEN 03102 400 03 102P	1 4	3 0	0	-4.9 52%	--	+2.2 78%	+7.4 82%	+44 78%	+58 76%	+74 78%	+61 75%	+12 70%	+34 70%	+1.3 68%	-4.2 39%	+45 68%	+1.8 56%	+0.6 69%	+0.7 69%	+0.4 64%	-0.1 63%	+46	+37	+7		
OTAPAWA SPOT 3053 347 033053P	1 3	0 0	0	-4.4 55%	--	-1.9 63%	+7.2 79%	+44 74%	+66 71%	+98 70%	+104 61%	+15 65%	+37 67%	+1.4 55%	-3.9 35%	+57 61%	+2.6 48%	+0.1 54%	-0.1 54%	+0.9 52%	--	+65	+53	+17		
AWHEA CURLY T21 989 T 21P	2 16	1 0	5	-4.5 47%	--	-0.7 63%	+8.0 83%	+43 82%	+67 80%	+97 79%	+119 70%	+11 75%	+32 77%	+1.7 55%	-3.9 39%	+58 71%	+2.7 48%	-0.7 60%	-1.0 60%	+1.2 55%	-0.1 45%	+56	+50	+9		
KIWI SPOT W47 174 01 47J	2 5	4 0	1	-2.9 58%	-4.7 50%	-1.8 69%	+6.6 82%	+43 77%	+60 76%	+85 77%	+84 68%	+21 72%	+42 73%	+0.7 69%	+0.8 44%	+50 69%	+2.4 69%	-0.6 69%	-0.9 69%	+1.4 66%	-0.4 57%	+52	+48	+13		
OKAWA AMETHYST 4022 617 04 22P	1 4	1 0	0	-2.7 54%	--	+0.7 63%	+6.2 80%	+43 75%	+71 74%	+95 75%	+85 74%	+14 66%	+35 68%	+2.2 63%	-5.2 36%	+61 66%	+0.8 55%	-0.9 68%	-1.0 64%	+1.1 64%	0.0 53%	+66	+58	+36		
PUTE BABS 68 309 T 754J	1 5	1 0	2	-7.2 46%	--	+0.8 63%	+10.2 79%	+43 75%	+66 72%	+105 76%	+121 73%	+15 72%	+37 72%	+1.7 53%	--	+55 65%	+1.6 49%	-1.5 54%	-2.1 54%	+1.5 52%	-0.4 48%	+51	+50	0		
PUTE BABS 92 309 02 915J	1 4	0 0	1	--	--	-0.1 63%	+9.5 80%	+43 76%	+63 71%	+92 72%	+100 63%	+6 71%	+27 72%	+2.2 56%	-1.4 36%	+46 63%	+2.2 49%	+0.1 53%	+0.1 53%	+0.5 52%	+0.4 50%	+45	+36	-13		
TE TAUMATA BELLE 220 308 02 625P	1 3	1 0	0	-6.2 33%	--	-1.2 69%	+8.1 77%	+43 73%	+54 71%	+73 68%	+66 55%	+17 62%	+38 65%	+1.5 49%	+1.0 28%	+44 60%	+3.1 43%	-0.9 47%	-2.0 48%	+2.2 44%	-0.5 41%	+40	+43	+6		
ARDO AMETHYST 02 398 277 02 398P	2 6	4 0	1	+2.2 58%	+5.1 51%	-0.3 64%	+6.0 81%	+42 76%	+74 75%	+100 76%	+108 67%	+13 72%	+34 73%	+3.1 67%	-3.9 40%	+64 67%	+3.4 57%	0.0 69%	-0.1 69%	+1.1 66%	+0.1 60%	+83	+71	+65		
AWHEA LEONORA 165 989 03 165P	1 4	2 0	0	-11.4 53%	--	+0.7 60%	+8.7 78%	+42 73%	+69 72%	+100 70%	+106 62%	+18 67%	+39 68%	+2.6 64%	-3.2 41%	+57 63%	+3.1 53%	+0.5 65%	+0.5 65%	+0.3 61%	+0.8 55%	+51	+37	-20		
NITHDALE LESLIE 0330 400 03 30P	1 4	2 0	1	-2.5 49%	--	-1.9 72%	+6.3 81%	+42 75%	+61 74%	+82 75%	+72 66%	+9 68%	+30 68%	+2.7 64%	-4.8 39%	+53 65%	+4.4 53%	+0.5 67%	+0.5 67%	+1.4 63%	+0.2 59%	+60	+49	+16		
OTAPAWA LEONORA 21 347 00 21P	2 15	2 0	1	-5.1 62%	-0.8 55%	-0.4 66%	+7.5 76%	+42 74%	+62 71%	+96 71%	+104 66%	+24 71%	+45 71%	+1.5 62%	-2.8 49%	+57 66%	+4.2 57%	-0.5 61%	-0.8 61%	+1.9 60%	-0.1 56%	+65	+58	+15		
OTAPAWA LEONORA 3100 347 033100P	1 3	1 0	0	-7.9 59%	-1.3 51%	-1.2 64%	+7.2 79%	+42 73%	+65 70%	+99 71%	+101 64%	+19 67%	+40 68%	+1.2 60%	-3.3 40%	+56 63%	+3.5 53%	+0.7 60%	+0.8 60%	+0.5 57%	+0.7 52%	+62	+46	-3		
SEADOWNS ALMOND 0431 1430 04 31P	1 3	2 0	0	--	--	+3.5 71%	+10.4 71%	+42 72%	+60 71%	+91 72%	+97 63%	+9 64%	+29 66%	+1.7 57%	0.0 35%	+49 62%	+1.5 46%	-0.6 54%	-0.8 54%	+0.9 51%	--	+32	+28	-34		
STRATHMOOR GLENDA 712 250 02 712H	1 3	3 0	0	--	--	-0.1 52%	+8.4 74%	+42 68%	+62 66%	+95 68%	+96 58%	+9 58%	+30 61%	+2.2 49%	--	+50 56%	+2.2 38%	-0.3 44%	-0.4 44%	+1.0 41%	-0.3 34%	+53	+46	+2		
AVERAGE EBV FOR 2007 BORN CALVES:				-0.4	+0.3	-0.3	+4.4	+25	+40	+57	+56	+11	--	+1.2	-1.6	+33	+2.2	+0.1	+0.1	+0.7	0.0	+42	+36	+23		

Dams have at least 60% accuracy for this trait and calves recorded in the last 3 year/s.

2009 AUTUMN NEW ZEALAND HEREFORD GROUP BREEDPLAN

Dam Trait Leaders for 200 DAY GROWTH

ANIMAL NAME Ident	Statistics			GROUP ESTIMATED BREEDING VALUES																		Indexes		
	Herds Prog	Scan Carc	Dtrs	Calving Ease		Birth		Growth					Fertility		Carcase					HP	EM	DM		
				DIR acc	DTRS acc	GL acc	Bwt acc	200 acc	400 acc	600 acc	MCWV acc	MILK acc	MV acc	SS acc	DC acc	CWt acc	EMA acc	RIB acc	RUMP acc				RBV% acc	IMF% acc
WAIKAKA DUCHESS 496 328 04 96P	1	1	0	-2.5	---	---	+6.9	+42	+57	+78	+76	+15	+36	+1.5	+0.4	+47	+1.9	-1.6	-2.2	+2.1	-1.0	+45	+48	+18
ARDO AMETHYST 3143 277 033143P	1	0	0	-11.8	---	+0.3	+10.6	+41	+58	+94	+100	+3	+23	+1.7	---	+47	+3.1	-0.5	-0.8	+1.4	+0.1	+42	+38	-16
ARDO AMETHYST 751 277 00 751P	1	6	4	-4.7	-1.6	-0.5	+8.7	+41	+72	+105	+118	+6	+27	+2.1	-1.3	+61	+4.2	-0.9	-1.4	+2.1	-0.6	+62	+59	+17
AWAKINO DIAMOND 1562 03 39P	1	0	0	---	---	+0.4	+8.2	+41	+45	+73	+75	+13	+33	---	---	+35	---	---	---	---	---	+40	+33	-8
KOANUI LEONORA 2281 216 022281P	1	2	1	-7.7	-5.5	0.0	+8.5	+41	+56	+82	+90	+10	+31	+2.8	-7.4	+42	+1.5	-0.1	-0.3	+0.9	-0.4	+39	+34	-17
LAKE POLKA Y19 990 03 19P	1	2	0	-1.9	+1.5	+0.3	+7.5	+41	+61	+97	+84	+21	+41	+1.1	-5.6	+56	+3.1	-0.8	-1.1	+1.9	+0.1	+74	+66	+35
LAKE SPOT W4 990 01 4P	1	4	0	---	---	0.0	+7.9	+41	+68	+94	+93	+10	+31	+1.4	0.0	+59	+3.1	-1.3	-1.9	+2.2	---	+61	+59	+30
OKAWA LYDIA 3224 617 03 224P	1	3	1	-4.8	---	+1.5	+8.3	+41	+65	+97	+89	+18	+39	+1.4	-3.3	+57	+2.9	-0.7	-0.9	+1.9	-0.5	+61	+56	+13
PUTE BABS 88 309 02 891J	1	1	0	---	---	+0.9	+9.4	+41	+57	+91	+103	+20	+41	+0.9	---	+46	+1.9	-0.4	-0.6	+0.9	0.0	+55	+50	+15
WAIU PEARL 258 113 00 258J	1	3	2	---	---	+0.5	+7.5	+41	+48	+74	+77	+11	+31	---	---	+41	+2.7	-0.1	-0.3	+1.3	-0.4	+54	+50	+30
WAIKAKA LEONORA 0442 328 04 42J	1	1	0	0.0	---	-1.8	+7.1	+41	+60	+91	+99	+17	+38	+1.2	---	+53	+1.8	-1.8	-2.5	+1.8	-0.1	+63	+63	+45
WAITAPORIRI CURLY 04 404 1135 04 404P	2	0	0	---	---	+0.3	+7.3	+41	+64	+99	+112	+18	+39	+1.7	-4.0	+57	+1.8	-0.7	-1.1	+1.2	-0.1	+70	+64	+41
ARDO ALICE 02 308 277 02 308P	1	3	1	-9.9	---	+0.7	+8.9	+40	+67	+94	+84	+18	+38	+3.0	-3.8	+53	+4.0	+0.1	-0.1	+1.2	+0.4	+55	+46	-1
ARDO BEATRICE 4069 277 044069P	1	2	0	-3.8	---	+0.5	+8.9	+40	+71	+97	+105	+10	+30	+1.2	---	+59	+3.5	+0.1	-0.1	+1.0	+0.5	+65	+56	+31
BEANBAH AMETHYST 02 108 1000 02 108P	1	4	2	-4.0	---	+2.0	+9.4	+40	+55	+82	+83	+17	+37	+0.6	-2.1	+47	+3.7	+0.5	+0.5	+1.2	0.0	+56	+48	+15
BENMORE BLOSSUM S12 376 S 12P	2	4	1	-2.1	---	-0.2	+6.3	+40	+50	+79	+89	+10	+30	+1.8	-1.7	+40	-0.3	+0.4	+0.4	-0.6	+0.6	+48	+36	+12
CAPETHORNE NORA 03 06 65 03 6P	1	0	0	---	---	-1.0	+5.3	+40	+52	+78	+92	+13	+33	+1.7	-1.4	+45	---	---	---	---	---	+54	+45	+25
HUKAROA AMETHYST 01 38 184 01 38P	1	0	1	-5.3	---	+0.5	+7.9	+40	+54	+85	+90	+10	+29	---	-5.5	+46	---	---	---	---	---	+51	+43	+5
KAIRURU MOONBEAM 03 0072 889 03 72P	1	1	1	---	---	-0.9	+5.2	+40	+55	+79	+76	+17	+37	+1.4	---	+52	+4.3	-0.3	-0.5	+2.2	---	+65	+60	+38
KAIRURU MOONBEAM 04 0012 889 04 12P	1	1	1	---	---	-0.3	+8.1	+40	+55	+77	+86	+13	+33	---	+0.2	+42	+1.7	0.0	-0.1	+0.6	---	+42	+37	+5
KIWI SPOT Y2 174 03 2J	1	2	0	+0.1	---	-3.8	+5.6	+40	+61	+87	+81	+21	+41	+1.4	-0.7	+53	+2.8	-0.4	-0.6	+1.3	-0.2	+63	+57	+33
KOANUI GIRLIE 3287 216 033287P	1	0	0	-5.1	---	-0.6	+7.2	+40	+53	+80	+81	+13	+33	+1.9	-2.9	+42	+1.2	-0.6	-0.8	+1.0	---	+42	+38	-4
KOANUI GRACEFUL 3403 216 033403P	1	1	0	-6.6	+5.3	+2.5	+9.8	+40	+57	+83	+77	+13	+33	+1.6	-2.7	+43	+2.4	+0.2	+0.2	+0.8	---	+52	+45	+15
NGAREWA LYDIA U747 825 U 747P	1	1	1	-5.0	---	-0.3	+6.6	+40	+60	+82	+82	+10	+30	+2.2	-2.2	+51	+3.1	+0.2	+0.1	+0.9	+0.5	+55	+45	+17
OKAWA CYNTHIA 3005 617 03 5P	1	3	1	-5.9	---	+0.2	+7.0	+40	+54	+77	+84	+16	+36	+2.3	---	+42	+1.2	+0.5	+0.5	-0.1	+0.4	+44	+33	-2
AVERAGE EBV FOR 2007 BORN CALVES:				-0.4	+0.3	-0.3	+4.4	+25	+40	+57	+56	+11	---	+1.2	-1.6	+33	+2.2	+0.1	+0.1	+0.7	0.0	+42	+36	+23

Dams have at least 60% accuracy for this trait and calves recorded in the last 3 year/s.

**2009 AUTUMN NEW ZEALAND HEREFORD GROUP BREEDPLAN**

**Dam Trait Leaders for 200 DAY GROWTH**

ANIMAL NAME Ident	Statistics			GROUP ESTIMATED BREEDING VALUES																				
	Herds Prog	Scan Carc	Dtrs	Calving Ease		Birth		Growth					Fertility		Carcase					Indexes				
				DIR acc	DTRS acc	GL acc	Bwt acc	200 acc	400 acc	600 acc	MCW acc	MILK acc	MV acc	SS acc	DC acc	CWt acc	EMA acc	RIB acc	RUMP acc	RB% acc	IMF% acc	HP	EM	DM
<b>OKAWA LYDIA 4046</b> 617 04 46P	1 3	2 0	0	<b>-2.7</b> 47%	---	<b>-0.1</b> 52%	<b>+5.8</b> 79%	<b>+40</b> 73%	<b>+58</b> 71%	<b>+72</b> 74%	<b>+54</b> 72%	<b>+16</b> 63%	<b>+36</b> 66%	<b>+0.7</b> 53%	---	<b>+46</b> 62%	<b>+0.8</b> 50%	<b>-0.4</b> 65%	<b>-0.3</b> 65%	<b>+1.0</b> 60%	<b>-0.3</b> 43%	<b>+49</b>	<b>+44</b>	<b>+24</b>
<b>PINECROFT GLENDA 9915</b> 1389 U 15P	1 6	0 0	1	---	---	<b>-1.1</b> 59%	<b>+6.7</b> 81%	<b>+40</b> 74%	<b>+55</b> 72%	<b>+81</b> 76%	<b>+91</b> 66%	<b>+14</b> 69%	<b>+34</b> 70%	---	<b>-1.9</b> 38%	<b>+47</b> 64%	---	---	---	---	---	<b>+48</b>	<b>+41</b>	<b>+11</b>
<b>WAIKAKA DUCHESS W122</b> 328 01 122P	1 5	4 0	2	<b>-3.9</b> 47%	---	<b>+0.7</b> 53%	<b>+7.6</b> 75%	<b>+40</b> 74%	<b>+56</b> 71%	<b>+81</b> 71%	<b>+85</b> 60%	<b>+13</b> 69%	<b>+33</b> 70%	<b>+0.5</b> 58%	<b>+2.7</b> 37%	<b>+48</b> 63%	<b>+1.8</b> 51%	<b>-1.7</b> 65%	<b>-2.4</b> 64%	<b>+1.9</b> 60%	<b>-0.5</b> 54%	<b>+43</b>	<b>+45</b>	<b>+12</b>
<b>WAIKAKA LILY 276</b> 328 02 76P	1 3	3 0	2	<b>-6.0</b> 52%	---	<b>+2.1</b> 71%	<b>+7.5</b> 80%	<b>+40</b> 76%	<b>+54</b> 72%	<b>+81</b> 76%	<b>+79</b> 66%	<b>+14</b> 69%	<b>+34</b> 71%	<b>+2.5</b> 59%	<b>-4.4</b> 37%	<b>+46</b> 65%	<b>+2.2</b> 53%	<b>-0.1</b> 66%	<b>-0.2</b> 66%	<b>+1.0</b> 62%	<b>-0.3</b> 55%	<b>+50</b>	<b>+43</b>	<b>+7</b>
<b>AVERAGE EBV FOR 2007 BORN CALVES:</b>				<b>-0.4</b>	<b>+0.3</b>	<b>-0.3</b>	<b>+4.4</b>	<b>+25</b>	<b>+40</b>	<b>+57</b>	<b>+56</b>	<b>+11</b>	<b>--</b>	<b>+1.2</b>	<b>-1.6</b>	<b>+33</b>	<b>+2.2</b>	<b>+0.1</b>	<b>+0.1</b>	<b>+0.7</b>	<b>0.0</b>	<b>+42</b>	<b>+36</b>	<b>+23</b>

Dams have at least 60% accuracy for this trait and calves recorded in the last 3 year/s.