

2009 WINTER NEW ZEALAND HEREFORD GROUP BREEDPLAN

Dam Trait Leaders for 200 DAY GROWTH

ANIMAL NAME Ident	Statistics			GROUP ESTIMATED BREEDING VALUES																		Indexes		
	Herds Prog	Scan Carc	Dtrs	Calving Ease		Birth		Growth					Fertility		Carcase					HP	EM	DM		
				DIR acc	DTRS acc	GL acc	Bwt acc	200 acc	400 acc	600 acc	MCWV acc	MILK acc	MV acc	SS acc	DC acc	CWt acc	EMA acc	RIB acc	RUMP acc				RBV% acc	IMF% acc
KOANUI PEARL 2254 216 022254P	1 4	1 0	2	-6.0 55%	+1.6 50%	-1.5 65%	+7.8 81%	+51 76%	+77 74%	+119 75%	+129 65%	+16 71%	+41 72%	+1.5 53%	-5.3 41%	+69 64%	+1.5 45%	-0.4 51%	-0.7 51%	+0.7 48%	+0.3 39%	+74	+61	+17
SBP JENNY 04 575 1553 04 575P	1 3	1 0	0	-1.2 53%	---	-1.7 62%	+6.6 79%	+48 73%	+67 72%	+101 73%	+100 64%	+18 64%	+42 66%	+1.1 52%	-1.9 35%	+67 64%	+3.1 51%	-2.3 64%	-3.3 64%	+3.3 60%	-0.8 56%	+68	+70	+33
ARDO AMETHYST 4153 277 044153P	1 3	2 0	0	-5.9 51%	---	+0.6 55%	+10.3 79%	+47 74%	+81 72%	+118 74%	+134 63%	+16 66%	+40 68%	+2.4 60%	---	+68 63%	+4.0 51%	-0.4 65%	-0.7 65%	+1.6 61%	-0.3 55%	+73	+66	+25
LAKE SPOT X48 990 02 48P	1 4	3 0	1	+3.1 44%	---	-1.6 54%	+5.8 77%	+47 74%	+67 72%	+100 72%	+100 66%	+19 66%	+42 68%	+1.9 52%	-3.2 37%	+64 62%	+3.5 50%	0.0 63%	-0.1 63%	+1.4 58%	---	+85	+73	+61
WAIU DOT T857 113 T 857J	1 5	5 0	1	---	---	-1.6 67%	+7.8 69%	+47 79%	+65 75%	+96 74%	+100 63%	+12 74%	+35 75%	---	---	+58 66%	+3.5 53%	-1.0 61%	-1.5 61%	+2.3 59%	-0.4 57%	+73	+70	+50
LAKE SPOT V25 990 00 25P	1 6	3 0	0	-5.0 53%	---	+0.7 60%	+9.6 75%	+46 77%	+74 75%	+103 76%	+105 73%	+7 72%	+30 73%	+0.8 65%	+3.7 45%	+63 68%	+2.9 55%	-1.8 66%	-2.6 66%	+2.3 62%	---	+52	+54	+10
AWHEA CURLY 0135 989 01 35P	1 5	2 0	1	-10.0 56%	---	+2.0 63%	+10.3 81%	+45 76%	+58 74%	+88 76%	+74 75%	+22 72%	+44 73%	+2.0 63%	-1.3 44%	+45 67%	+2.1 52%	+0.2 67%	+0.2 67%	+0.3 63%	+0.7 59%	+45	+35	-16
NITHDALE BREEZE 0322 400 03 22P	1 4	2 0	1	-4.8 50%	---	-0.7 80%	+8.3 80%	+45 74%	+70 72%	+90 74%	+66 74%	+20 66%	+43 68%	+1.5 55%	---	+57 64%	+3.1 52%	+0.3 67%	+0.3 67%	+1.0 63%	+0.1 59%	+62	+52	+22
TE TAUMATA BELLE 178 308 U 322P	1 6	0 0	0	-2.0 52%	---	-3.1 76%	+5.5 76%	+45 76%	+58 73%	+86 71%	+82 62%	+12 72%	+34 73%	+1.6 55%	-3.2 42%	+51 64%	+2.4 49%	-0.5 53%	-0.8 53%	+1.6 52%	---	+61	+55	+27
WAITAPORIRI CURLY 214 1135 02 214P	2 5	1 0	1	-4.9 41%	---	---	+8.8 67%	+45 70%	+71 66%	+106 65%	+120 57%	+17 68%	+40 68%	---	---	+61 57%	+2.6 37%	-1.0 46%	-1.4 46%	+1.6 43%	-0.3 38%	+62	+57	+13
AWHEA PRINCESS 04 203 989 04 203P	1 3	1 0	1	-2.7 54%	---	-0.9 71%	+7.0 79%	+44 75%	+72 73%	+101 74%	+98 74%	+23 68%	+45 70%	+2.4 62%	-4.5 43%	+65 65%	+4.7 54%	+0.1 66%	0.0 66%	+1.6 62%	+0.5 57%	+78	+66	+33
NITHDALE QUEEN 03102 400 03 102P	1 4	3 0	1	-6.0 52%	---	+2.2 75%	+7.4 82%	+44 79%	+59 77%	+75 79%	+68 75%	+13 70%	+35 72%	+1.4 69%	-4.3 39%	+46 69%	+1.8 56%	+0.5 70%	+0.6 70%	+0.4 66%	-0.2 63%	+44	+35	+3
OTAPAWA SPOT 3053 347 033053P	1 3	0 0	0	-3.8 55%	---	-2.0 63%	+7.2 79%	+44 74%	+66 71%	+98 70%	+103 61%	+15 65%	+37 67%	+1.4 55%	-3.7 36%	+56 61%	+2.7 48%	0.0 54%	-0.1 54%	+0.9 52%	---	+66	+55	+21
AWHEA CURLY T21 989 T 21P	2 16	1 0	6	-4.2 47%	---	-0.8 64%	+8.0 83%	+43 83%	+68 80%	+100 80%	+123 71%	+9 76%	+31 78%	+1.7 55%	-4.2 39%	+59 71%	+2.6 48%	-0.7 60%	-1.0 60%	+1.2 56%	-0.1 55%	+58	+51	+11
AWHEA LEONORA 165 989 03 165P	1 4	2 0	0	-11.2 53%	---	+0.6 60%	+8.8 78%	+43 73%	+70 72%	+105 73%	+118 72%	+17 67%	+39 68%	+2.7 65%	-3.3 42%	+60 64%	+3.0 53%	+0.4 65%	+0.4 65%	+0.3 61%	+0.8 55%	+54	+39	-19
KIWI SPOT W47 174 01 47J	2 5	4 0	1	-2.9 58%	-4.8 50%	-1.8 69%	+6.6 82%	+43 77%	+59 76%	+85 77%	+85 68%	+21 72%	+42 73%	+0.6 66%	+0.9 44%	+50 69%	+2.4 58%	-0.6 69%	-0.9 69%	+1.3 66%	-0.4 57%	+51	+47	+12
NITHDALE LESLIE 0330 400 03 30P	1 4	2 0	1	-2.7 49%	---	-1.7 72%	+6.4 81%	+43 76%	+62 74%	+84 76%	+83 75%	+10 69%	+31 71%	+2.7 64%	-4.9 39%	+54 66%	+4.3 53%	+0.4 67%	+0.4 67%	+1.4 63%	+0.2 59%	+60	+49	+14
OKAWA AMETHYST 4022 617 04 22P	1 4	1 0	0	-2.3 54%	---	+0.9 63%	+6.3 80%	+43 75%	+71 74%	+95 75%	+85 74%	+16 66%	+37 68%	+2.2 65%	-5.3 36%	+61 66%	+0.9 55%	-0.9 68%	-1.0 64%	+1.1 64%	0.0 53%	+67	+59	+39
PUTE BABS 68 309 T 754J	1 5	1 0	2	-7.2 47%	---	+0.9 63%	+10.1 79%	+43 75%	+66 72%	+105 76%	+123 74%	+15 72%	+37 72%	+1.7 53%	---	+55 65%	+1.6 49%	-1.5 54%	-2.1 54%	+1.5 52%	-0.4 48%	+51	+50	0
TE TAUMATA BELLE 220 308 02 625P	1 4	1 0	1	-6.2 35%	---	-1.0 70%	+8.2 78%	+43 74%	+54 72%	+73 69%	+65 56%	+16 65%	+38 67%	+1.5 49%	-0.4 28%	+44 60%	+3.1 43%	-0.8 47%	-1.8 48%	+2.2 44%	-0.5 41%	+41	+43	+6
ARDO AMETHYST 02 398 277 02 398P	2 6	4 0	1	+2.4 58%	+5.3 52%	-0.2 64%	+5.9 81%	+42 76%	+73 75%	+99 76%	+106 67%	+13 73%	+34 73%	+3.1 67%	-4.0 41%	+63 69%	+3.3 69%	0.0 60%	-0.1 61%	+1.1 66%	0.0 50%	+82	+71	+67
ARDO AMETHYST 751 277 00 751P	1 7	6 0	4	-4.6 60%	-1.5 54%	-0.5 65%	+8.7 83%	+42 79%	+72 77%	+105 78%	+119 69%	+6 77%	+27 77%	+2.1 63%	-1.5 45%	+61 69%	+4.2 58%	-0.9 70%	-1.4 70%	+2.1 66%	-0.6 61%	+62	+59	+18
LAKE SPOT W4 990 01 4P	1 6	4 0	0	---	---	0.0 56%	+7.9 71%	+42 74%	+68 73%	+95 74%	+92 72%	+10 71%	+31 71%	+1.4 68%	+0.3 42%	+59 66%	+3.1 54%	-1.3 65%	-1.9 65%	+2.2 61%	---	+62	+60	+30
PUTE BABS 92 309 02 915J	1 4	0 0	1	---	---	-0.1 63%	+9.5 80%	+42 76%	+62 71%	+90 72%	+88 65%	+6 71%	+27 72%	+2.2 56%	-1.5 36%	+45 63%	+2.2 49%	+0.2 53%	+0.2 53%	+0.6 52%	+0.4 50%	+45	+36	-13
SEADOWNS ALMOND 0431 1430 04 31P	1 3	2 0	0	---	---	+3.6 71%	+10.4 71%	+42 72%	+60 71%	+90 72%	+97 63%	+9 64%	+30 66%	+2.3 62%	-0.5 36%	+49 63%	+1.5 46%	-0.5 54%	-0.8 54%	+0.9 51%	---	+32	+28	-32
AVERAGE EBV FOR 2007 BORN CALVES:				-0.4	+0.3	-0.3	+4.3	+25	+40	+57	+56	+11	--	+1.2	-1.6	+33	+2.2	+0.1	+0.1	+0.7	0.0	+42	+36	+23

Dams have at least 60% accuracy for this trait and calves recorded in the last 3 year/s.

2009 WINTER NEW ZEALAND HEREFORD GROUP BREEDPLAN

Dam Trait Leaders for 200 DAY GROWTH

ANIMAL NAME Ident	Statistics			GROUP ESTIMATED BREEDING VALUES																Indexes				
	Herds Prog	Scan Carc	Dtrs	Calving Ease		Birth		Growth					Fertility		Carcase					HP	EM	DM		
				DIR acc	DTRS acc	GL acc	Bwt acc	200 acc	400 acc	600 acc	MCWV acc	MILK acc	MV acc	SS acc	DC acc	CWt acc	EMA acc	RIB acc	RUMP acc				RBV% acc	IMF% acc
STRATHMOOR GLENDA 712 250 02 712H	1 3	3 0	1	---	---	-0.1 52%	+8.3 75%	+42 69%	+62 67%	+95 68%	+96 58%	+9 59%	+29 62%	+2.2 49%	---	+50 56%	+2.1 38%	-0.2 44%	-0.4 44%	+0.9 41%	-0.3 34%	+53	+46	+3
WAIKAKA DUCHESS 496 328 04 96P	1 3	1 0	0	-2.5 45%	---	---	+6.8 77%	+42 71%	+57 66%	+78 70%	+76 58%	+15 57%	+36 61%	+1.5 53%	+0.3 27%	+47 57%	+1.9 45%	-1.6 61%	-2.2 61%	+2.1 56%	-1.0 50%	+45	+48	+18
ARDO AMETHYST 3143 277 033143P	1 3	0 0	0	-11.8 48%	---	+0.3 57%	+10.6 78%	+41 73%	+58 70%	+94 71%	+100 59%	+2 64%	+23 66%	+1.7 60%	---	+47 60%	+3.1 45%	-0.5 59%	-0.8 59%	+1.4 55%	+0.1 50%	+42	+38	-17
AWAKINO DIAMOND 1562 03 39P	1 3	0 0	0	---	---	+0.4 50%	+8.2 77%	+41 70%	+45 68%	+73 70%	+74 59%	+13 49%	+33 56%	---	---	+35 57%	---	---	---	---	---	+40	+33	-8
KIWI SPOT Y2 174 03 2J	1 3	2 0	0	+0.3 49%	---	-3.8 58%	+5.6 77%	+41 72%	+62 71%	+87 72%	+78 62%	+21 62%	+41 65%	+1.3 63%	-0.6 35%	+53 62%	+2.8 51%	-0.4 64%	-0.6 64%	+1.3 60%	-0.2 49%	+64	+57	+35
KOANUI LEONORA 2281 216 022281P	1 5	2 0	1	-7.4 57%	-5.5 52%	0.0 65%	+8.4 82%	+41 77%	+56 75%	+82 76%	+90 67%	+10 72%	+30 73%	+2.9 64%	-7.5 42%	+41 66%	+1.5 50%	-0.1 57%	-0.2 57%	+0.9 54%	-0.4 45%	+40	+34	-15
LAKE POLKA Y19 990 03 19H	1 4	2 0	0	-1.7 55%	+1.7 50%	+0.3 59%	+7.5 72%	+41 75%	+62 74%	+98 75%	+86 74%	+21 71%	+41 72%	+1.1 68%	-5.5 47%	+56 68%	+3.1 59%	-0.8 74%	-1.1 71%	+1.9 68%	+0.1 65%	+75	+67	+37
OKAWA LYDIA 3224 617 03 224P	1 4	3 0	1	-4.4 54%	---	+1.6 64%	+8.3 80%	+41 76%	+65 76%	+97 77%	+90 71%	+18 77%	+39 78%	+1.4 68%	-3.4 39%	+56 68%	+3.0 57%	-0.7 70%	-0.9 70%	+1.9 66%	-0.5 53%	+62	+58	+17
OTAPAWA LEONORA 21 347 00 21P	3 18	2 0	1	-4.7 63%	-0.5 55%	-0.5 66%	+7.1 79%	+41 75%	+61 72%	+94 72%	+100 66%	+24 71%	+45 72%	+1.5 62%	-3.2 49%	+56 66%	+4.2 57%	-0.5 61%	-0.8 61%	+2.0 60%	-0.1 56%	+65	+59	+18
OTAPAWA LEONORA 3100 347 033100P	1 3	1 0	0	-7.2 59%	-0.9 51%	-1.4 65%	+7.2 79%	+41 73%	+65 70%	+99 71%	+98 64%	+19 67%	+40 68%	+1.2 60%	-3.3 41%	+56 63%	+3.5 53%	+0.7 60%	+0.7 60%	+0.6 58%	+0.7 52%	+63	+48	+2
PUTE BABS 88 309 02 891J	1 4	1 0	0	---	---	+0.9 54%	+9.4 70%	+41 71%	+57 68%	+90 71%	+97 63%	+20 63%	+41 65%	+0.9 53%	---	+46 60%	+1.9 40%	-0.4 45%	-0.5 45%	+0.9 43%	0.0 39%	+55	+50	+15
WAIJU PEARL 258 113 00 258J	1 6	3 0	2	---	---	+0.6 59%	+7.5 58%	+41 71%	+48 65%	+74 64%	+77 50%	+10 69%	+31 69%	---	---	+41 54%	+2.7 38%	-0.1 47%	-0.3 47%	+1.3 45%	-0.4 43%	+53	+49	+30
WAIKAKA LEONORA 0442 328 04 42J	1 3	1 0	0	0.0 45%	---	-1.7 58%	+7.1 79%	+41 73%	+60 68%	+91 73%	+98 61%	+18 61%	+38 65%	+1.3 56%	---	+53 60%	+1.8 49%	-1.7 64%	-2.5 63%	+1.8 59%	-0.1 54%	+64	+63	+46
WAITAPORIRI CURLY 04 404 1135 04 404P	2 3	0 0	1	---	---	+0.3 55%	+7.4 68%	+41 72%	+64 70%	+98 71%	+102 68%	+16 67%	+36 68%	+1.7 63%	-4.1 39%	+56 63%	+1.8 50%	-0.7 61%	-1.0 61%	+1.2 58%	-0.1 49%	+71	+64	+42
ARDO ALICE 02 308 277 02 308P	1 5	3 0	1	-10.0 53%	---	+0.7 72%	+8.9 82%	+40 78%	+67 76%	+93 77%	+81 67%	+17 74%	+37 75%	+3.0 66%	-3.7 35%	+53 67%	+4.0 54%	+0.1 68%	0.0 68%	+1.2 64%	+0.4 58%	+55	+45	-1
ARDO BEATRICE 4069 277 044069P	1 3	2 0	0	-3.7 50%	---	+0.6 54%	+8.9 79%	+40 73%	+70 71%	+96 73%	+108 62%	+11 65%	+31 67%	+1.3 61%	---	+58 62%	+3.5 49%	+0.1 63%	-0.1 63%	+0.9 59%	+0.4 53%	+64	+55	+31
BEANBAH AMETHYST 02 108 1000 02 108P	1 5	4 0	2	-4.0 44%	---	+2.0 53%	+9.4 80%	+40 72%	+54 72%	+82 72%	+82 59%	+17 67%	+37 68%	+0.6 50%	-1.9 37%	+46 62%	+3.7 51%	+0.5 67%	+0.6 66%	+1.2 62%	0.0 54%	+56	+48	+14
CAPETHORNE NORA 03 06 65 03 6P	1 4	0 0	0	---	---	-1.0 57%	+5.2 76%	+40 70%	+52 68%	+77 68%	+89 57%	+12 61%	+32 61%	+1.6 56%	-1.2 35%	+45 57%	---	---	---	---	---	+54	+45	+27
KAIRURU MOONBEAM 04 0012 889 04 12P	1 3	1 0	1	---	---	+0.3 72%	+8.1 78%	+40 74%	+59 71%	+79 74%	+90 62%	+15 65%	+34 67%	---	+0.8 29%	+45 60%	+1.1 40%	-0.9 45%	-1.4 45%	+1.1 43%	---	+37	+36	+1
KOANUI GIRLIE 3287 216 033287P	1 3	0 0	0	-4.8 54%	---	-0.6 61%	+7.2 80%	+40 74%	+53 73%	+80 72%	+81 62%	+13 67%	+33 69%	+1.9 56%	-2.9 40%	+42 62%	+1.2 45%	-0.6 50%	-0.8 50%	+1.0 48%	---	+43	+38	-3
KOANUI GRACEFUL 3403 216 033403P	1 4	1 0	0	-6.7 56%	+5.3 50%	+2.5 64%	+9.8 80%	+40 73%	+57 70%	+82 71%	+77 62%	+13 69%	+33 70%	+1.6 62%	-2.6 40%	+43 60%	+2.4 46%	+0.2 53%	+0.2 53%	+0.7 50%	---	+51	+44	+14
LAKE POLKA S1 990 S 1J	1 8	7 0	1	-3.1 32%	---	-0.3 63%	+7.6 77%	+40 76%	+54 75%	+82 76%	+81 76%	+17 77%	+37 76%	+0.2 66%	0.0 48%	+43 69%	+1.5 57%	-1.0 65%	-1.4 65%	+1.1 62%	0.0 52%	+48	+45	+12
LEELANDS DIAMOND 03 0378 494 03 378P	1 3	1 0	0	-2.4 49%	---	+2.7 72%	+6.6 70%	+40 72%	+55 71%	+81 72%	+84 62%	+10 64%	+30 66%	+2.6 62%	-1.2 37%	+48 62%	+2.1 45%	-0.1 53%	-0.3 52%	+0.7 50%	---	+51	+43	+14
MONYMSK LEONORA 03 0056 272 03 56P	1 3	0 0	0	-2.8 45%	---	-0.9 65%	+6.0 79%	+40 74%	+59 71%	+87 74%	+89 63%	+18 67%	+38 69%	---	---	+53 62%	---	---	---	---	---	+61	+51	+20
NGAREWA LYDIA U747 825 U 747P	1 7	1 0	1	-5.1 48%	---	-0.2 62%	+6.6 80%	+40 76%	+59 74%	+81 75%	+80 69%	+9 70%	+29 71%	+1.9 66%	-2.4 40%	+50 64%	+3.1 41%	+0.2 50%	+0.2 50%	+0.8 47%	+0.6 40%	+55	+44	+16
AVERAGE EBV FOR 2007 BORN CALVES:				-0.4	+0.3	-0.3	+4.3	+25	+40	+57	+56	+11	--	+1.2	-1.6	+33	+2.2	+0.1	+0.1	+0.7	0.0	+42	+36	+23

Dams have at least 60% accuracy for this trait and calves recorded in the last 3 year/s.

2009 WINTER NEW ZEALAND HEREFORD GROUP BREEDPLAN

Dam Trait Leaders for 200 DAY GROWTH

ANIMAL NAME Ident	Statistics			GROUP ESTIMATED BREEDING VALUES																						
	Herds Prog	Scan Carc	Dtrs	Calving Ease		Birth		Growth				MILK		MV		Fertility		Carcase						Indexes		
				DIR acc	DTRS acc	GL acc	Bwt acc	200 acc	400 acc	600 acc	MCW acc	MILK acc	MV acc	SS acc	DC acc	CWt acc	EMA acc	RIB acc	RUMP acc	RB% acc	IMF% acc	HP	EM	DM		
NITHDALE QUEEN 0362 400 03 62P	1 4	3 0	0	-5.7 46%	---	+2.1 56%	+8.7 80%	+40 74%	+53 72%	+86 75%	+91 73%	+24 65%	+44 67%	+1.7 69%	---	+43 64%	+1.3 53%	+0.4 67%	+0.4 67%	-0.1 63%	+0.5 58%	+51	+40	+2		
OKAWA CYNTHIA 3005 617 03 5P	1 3	3 0	1	-5.8 46%	---	+0.2 52%	+7.0 78%	+40 73%	+53 72%	+77 75%	+84 74%	+16 66%	+36 68%	+2.3 65%	---	+42 64%	+1.2 51%	+0.5 66%	+0.5 66%	-0.1 61%	+0.4 43%	+45	+34	-1		
OKAWA LYDIA 4046 617 04 46P	1 3	2 0	0	-2.5 48%	---	0.0 52%	+5.9 79%	+40 73%	+58 71%	+72 74%	+54 72%	+17 63%	+36 66%	+0.7 53%	---	+46 62%	+0.9 50%	-0.4 65%	-0.3 65%	+1.0 60%	-0.3 43%	+50	+45	+26		
PINECROFT GLENDA 9915 1389 U 15P	1 6	0 0	1	---	---	-1.2 59%	+6.6 81%	+40 74%	+55 72%	+80 76%	+90 67%	+14 69%	+34 70%	---	-1.8 38%	+47 64%	---	---	---	---	---	+46	+40	+10		
WAIKAKA DUCHESS W122 328 01 122P	1 5	4 0	2	-3.8 47%	---	+0.7 53%	+7.6 75%	+40 74%	+56 71%	+81 72%	+85 60%	+13 69%	+33 70%	+0.5 58%	+2.6 37%	+48 63%	+1.8 51%	-1.7 65%	-2.4 64%	+1.9 60%	-0.5 54%	+43	+46	+13		
WAITAPORIRI CURLY 03 0304 1135 03 304P	2 4	0 0	0	---	---	-0.5 60%	+7.4 68%	+40 70%	+69 69%	+105 70%	+139 70%	+8 69%	+28 69%	+1.6 56%	-4.3 45%	+65 64%	+4.1 50%	-1.1 56%	-1.6 56%	+2.3 54%	-0.5 50%	+73	+69	+39		
AVERAGE EBV FOR 2007 BORN CALVES:				-0.4	+0.3	-0.3	+4.3	+25	+40	+57	+56	+11	--	+1.2	-1.6	+33	+2.2	+0.1	+0.1	+0.7	0.0	+42	+36	+23		

Dams have at least 60% accuracy for this trait and calves recorded in the last 3 year/s.